

Fiche de Suivi des APA (Fort de Vaujours)

N° APA et appareil de mesure	Date/Heure de prélèvement		Zo ne	Date. heure et lieu de mesure du filtre		Volume (m ³)	Durée de mesure (s)	Valeurs Brut (c.s ⁻¹)		Bruits de Fond (c.s ⁻¹)		Opérate ur	Activités volumiques (Bq.m ⁻³)
	Début	Fin											
BO	20/12/23	17/01/24		1)	22/01/2023 11h00	1 006	3600	α	0.1	α	0.1	CFH	< 0.000361
					VAUJOURS			β	10.7	β	10.2		1.40E-03
				2)	23/01/2024 11h00		3600	α	0.1	α	0.1	CFH	< 0.000361
					VAUJOURS			β	10.3	β	10.1		< 0.00069
				3)				α		α			
								β		β			
BN	20/12/23	17/01/24		1)	22/01/2024 12h00	1007	3600	α	0.1	α	0.1	CFH	< 0.000361
					VAUJOURS			β	10.5	β	10.1		1.12E-03
				2)	23/01/2024 12h00		3600		0.1		0.1	CFH	< 0.000361
					VAUJOURS				10.4		10.2		< 0.00069
BS	20/12/23	18/01/24		1)	22/01/2023 13h00	1047	3600	α	0.1	α	0.1	CFH	< 0.000347
					VAUJOURS			β	10.3	β	10.2		< 0.00067
				2)	23/01/2024 13h00		3600		0.1		0.1	CFH	< 0.000347
					VAUJOURS				10.3		10.1		< 0.00066
				3)				α		α			
								β		β			
BE	21/12/23	18/01/24		1)	22/01/2023 14h00	1 014	3600	α	0.1	α	0.1	CFH	< 0.000358
					VAUJOURS			β	11	β	10.1		2.50E-03
				2)	23/01/2024 14h00		3600	α	0.1	α	0.1	CFH	< 0.000358
					VAUJOURS			β	10.3	β	10.2		< 0.00069
				3)				α		α			
								β		β			
				1)				α		α			
								β		β			
				2)				α		α			
								β		β			
				3)				α		α			
								β		β			
				1)				α		α			
								β		β			
				2)				α		α			
								β		β			
				3)				α		α			
								β		β			