

Fiche de Suivi des APA (Fort de Vaujours)

N° APA et appareil de mesure	Date/Heure de prélèvement		Zo ne	Date. heure et lieu de mesure du filtre		Volume (m ³)	Durée de mesure (s)	Valeurs Brut (c.s ⁻¹)		Bruits de Fond (c.s ⁻¹)		Opérate ur	Activités volumiques (Bq.m ⁻³)			
	Début	Fin														
BO	14/06/23	12/07/23		1)	17/07/2023	475	3600	α	0.01	α	0.012	CFH	< 0.000253			
					13h00											
					AVON			β	8.8	β	8.7		< 0.00191			
				2)					α							
									β							
				3)					α		α					
									β		β					
BN	14/06/23	12/07/23		1)	17/07/2023	893	3600	α	0.012	α	0.012	CFH	< 0.000134			
					14h00											
					AVON			β	8.9	β	8.7		< 0.00102			
				2)					α							
									β							
BS	14/06/23	12/07/23		1)	17/07/2023	661	3600	α	0.02	α	0.012	CFH	< 0.000182			
					15h00											
					AVON			β	8.6	β	8.7		< 0.00138			
				2)					α							
									β							
				3)					α		α					
									β		β					
BE	14/06/23	12/07/23		1)	17/07/2023	1 005	3600	α	0.012	α	0.012	CFH	< 0.000119			
					16h00											
					AVON			β	8.8	β	8.7		< 0.0009			
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					
				1)				α		α						
								β		β						
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					
				1)				α		α						
								β		β						
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					