

Fiche de Suivi des APA (Fort de Vaujours)

N° APA et appareil de mesure	Date/Heure de prélèvement		Zo ne	Date. heure et lieu de mesure du filtre		Volume (m ³)	Durée de mesure (s)	Valeurs Brut (c.s ⁻¹)		Bruits de Fond (c.s ⁻¹)		Opérate ur	Activités volumiques (Bq.m ⁻³)
	Début	Fin											
BO	18/10/23	28/11/23		1)	01/12/2023 9h00	1 478	3600	α	0.1	α	0.1	CFH	< 0.000246
					base-vie			β	9.9	β	8.7		2.29E-03
				2)	04/12/2023 11h00		3600	α	0.1	α	0.1	CFH	< 0.000246
					base-vie			β	11.6	β	11.4		< 0.0005
				3)				α		α			
								β		β			
BN	18/10/23	28/11/23		1)	01/12/2023 10h00	1479	3600	α	0.1	α	0.1	CFH	< 0.000246
					base-vie			β	9.8	β	8.7		2.10E-03
				2)	04/12/2023 12h00		3600		0.1		0.1	CFH	< 0.000246
					base-vie				11.4		11.4		< 0.0005
BS	18/10/23	27/11/23		1)	01/12/2023 11h00	950.7	3600	α	0.1	α	0.1	CFH	< 0.000382
					base-vie			β	9.8	β	8.7		3.26E-03
				2)	04/12/2023 13h00		3600		0.1		0.1	CFH	< 0.000382
					base-vie				11.5		11.4		< 0.00078
				3)				α		α			
								β		β			
BE	18/10/23	28/11/23		1)	01/12/2023 12h00	1 477	3600	α	0.1	α	0.1	CFH	< 0.000246
					base-vie			β	9.6	β	8.7		1.72E-03
				2)	04/12/2023 14h00		3600	α	0.1	α	0.1	CFH	< 0.000246
					base-vie			β	11.3	β	11.4		< 0.0005
				3)				α		α			
								β		β			
				1)				α		α			
								β		β			
				2)				α		α			
								β		β			
				3)				α		α			
								β		β			
				1)				α		α			
								β		β			
				2)				α		α			
								β		β			
				3)				α		α			
								β		β			