

Fiche de Suivi des APA (Fort de Vaujours)

N° APA et appareil de mesure	Date/Heure de prélèvement		Zo ne	Date. heure et lieu de mesure du filtre		Volume (m ³)	Durée de mesure (s)	Valeurs Brut (c.s ⁻¹)		Bruits de Fond (c.s ⁻¹)		Opérate ur	Activités volumiques (Bq.m ⁻³)			
	Début	Fin														
BS	18/12/24	15/01/25		1)	27/01/2025	790	900	α	0.1	α	0.1	CFH	< 0.00092			
					10h											
					AVON			β	12.6	β	12.3		< 0.00194			
				2)					α							
									β							
				3)					α		α					
									β		β					
BN	18/12/24	15/01/25		1)	27/01/2025	42 non compté		α		α						
					10h20											
					AVON			β		β						
				2)					α							
									β							
BO	18/12/24	15/01/25		1)	27/01/2025	1002	900	α	0.1	α	0.1	CFH	< 0.000725			
					10h40											
					AVON			β	12.7	β	12.3		< 0.00153			
				2)					α							
									β							
				3)					α		α					
									β		β					
BE	18/12/24	15/01/25		1)	27/01/2025	1 012	900	α	0.1	α	0.1	CFH	< 0.000718			
					11h											
					AVON			β	12	β	12.3		< 0.00151			
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					
				1)				α		α						
								β		β						
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					
				1)				α		α						
								β		β						
				2)					α		α					
									β		β					
				3)					α		α					
									β		β					